

Fan Type Ionizer



Thinnest and Fastest

Thickness **40** mm


Rapid static
neutralisation

0.5^{*} seconds



■ Extensive rapid static neutralisation^{*}


New The model with flow rate adjustment function added.



^{*} When neutralising static electricity from 1000 V to 100 V at a distance of 300 mm from the workpiece (front surface). When air flow of IZF31 is maximum.

■ Offset voltage (Ion balance): **±5 V**

IZF Series



Compact fan types
► Page 21

IZF10R Series



CAT.EUS100-113B-UK

Extensive Rapid Static Neutralisation


Extensive static neutralisation

► For the IZF21. For details about the IZF31, refer to page 10.
► Refer to page 4 for flow rate adjustment and the description below for angle adjustment of the adjustable louver.


IZF 21 IZF 31




At maximum flow rate



At maximum flow rate, with adjustable louver/widest angle




At maximum flow rate, with adjustable louver/narrowest angle




Extensive static neutralisation area can be covered with adjustable louver.

IZF 21 IZF 31


Option P.12





Adjustable in 5-stages
from wide to narrow angle



90-degree rotation mounting
available
(Adjustable in a vertical direction)






Application Examples



Rapid static neutralisation

IZF 10R IZF 21 IZF 31


Installation distance and discharge time (Discharge time from 1000 V to 100 V)



Stable Static Neutralisation Performance, Easier Maintenance

Emitter life is almost doubled with averaging function.

IZF 21 IZF 31



Averaging Function

The life of the emitters is almost doubled by switching the polarity of the applied high voltage every time the power is supplied hence averaging the wear level of the emitters.
* Compared with the IZF10.

Built-in sensor constantly monitors offset voltage.

IZF 21 IZF 31

Automatic balance adjustment function achieves stable offset voltage and reduces adjustment time.


Automatic adjustment

Prevents degradation in offset voltage that can occur when emitters become contaminated after prolonged ionizer operation.

Manual adjustment

Corrects changes to offset voltage due to the installation environment.


Constantly monitors offset voltage by use of a sensor. Prevents degradation in offset voltage that can occur when emitters become contaminated after prolonged ionizer operation. Balance adjustment trimmer can provide offset voltage adjustment suitable for the installation environment.



Stable Static Neutralisation Performance, Easier Maintenance


Emitter contamination can be reduced by automatic cleaning function. IZF 21 IZF 31 Option P.12

Cleaning arms are installed inside the housing. Emitter cleaning is started by an external input signal or push-button operation.




Contamination of the emitters can be detected. IZF 10 IZF 10R IZF 21 IZF 31

Emitter contamination level is constantly monitored. When maintenance is required, the user is alerted by a signal output and the LED turning ON.



Emitter cartridge is easily replaceable. (No tools are required.) IZF 21 IZF 31 P.12



Flow Rate Adjustment Function


IZF 10R IZF 21 IZF 31

Flow rate is adjustable in 10 steps* using the flow rate adjustment dial. The flow rate adjustment dial is removable to prevent accidental changes of adjustment.

Flow Rate Adjustment Range

[l/min]

| Model | Flow rate adjustment level | | | | | | | | | |
|--------|----------------------------|------|------|------|------|------|------|------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| IZF10R | 190 | 460 | 660 | 800 | — | — | — | — | — | — |
| IZF21 | 400 | 500 | 600 | 700 | 800 | 900 | 1100 | 1400 | 1700 | 1800 |
| IZF31 | 1300 | 1700 | 1900 | 2300 | 2500 | 2700 | 3200 | 3700 | 4200 | 4400 |



7 types of alarms are provided.

IZF 21 IZF 31

1 Power supply failure




2 Incorrect high voltage



3 Fan motor failure



4 CPU failure




5 Maintenance warning



6 Emitter cartridge mounting failure




7 Automatic cleaning failure



LED indicator can be checked from 2 directions!

IZF 21 IZF 31




Filter

IZF 21 IZF 31

Option

P.12

Prevents ingress of lint and foreign matter to the motor and possibility of short-circuit between emitters!




Models and Functions

| | | IZF21 P.11 | IZF31 P.11 | IZF10 P.21 | New IZF10R P.21 |
|---|------------------------------------|---|--|---|---|
| | |  |  |  |  |
| Size (Depth x Width x Height) [mm] | | 40 x 104 x 155 | 40 x 144 x 195 | 39 x 80 x 110 | 39 x 80 x 110 |
| Maximum air flow [l/min] | | 1800 | 4400 | 660 460 (L type) | 800 |
| Extensive static neutralisation | | ● | ● | — | — |
| High speed neutralisation | | ● | ● | ● | ● |
| Adjustable louver | | ● | ● | — | — |
| Averaging function | | ● | ● | — | — |
| Automatic balance adjustment function (With built-in sensor) | | ● | ● | — | — |
| automatic cleaning function | | ● | ● | — | — |
| Emitter dirt detection | | ● | ● | ● | ● |
| Easily replaceable (Emitter cartridge) | | ● | ● | — | — |
| Flow rate adjustment function | | ● | ● | — | ● |
| Filter | | ● | ● | — | — |
| Alarm | Power supply failure | ● | ● | ● | ● |
| | Incorrect high voltage | ● | ● | ● | ● |
| | Fan motor failure | ● | ● | — | — |
| | CPU failure | ● | ● | — | — |
| | Maintenance warning | ● | ● | ● (LED indication only) | ● |
| | Emitter cartridge mounting failure | ● | ● | — | — |
| | Automatic cleaning failure | ● | ● | — | — |

Application Examples


Static neutralisation on a conveyor

Static neutralisation in a narrow space




Neutralizing static electricity on PET bottles

Trip-resistance during conveying/Prevents adhesion of dust.




Neutralizing static electricity from films

Prevents winding failure./Prevents adhesion of dust.




Neutralizing static electricity on molded goods

Improves detachability of molded goods from a die.




Neutralizing static electricity on film molded goods

Sticking and scattering prevention on a conveyor




Static neutralisation on packaging materials made from polystyrene foam.

Darkening due to dust adhesion prevented



Neutralizing static electricity from packing films

Prevents the filled substance from adhering to the packing film and reduces packing mistakes.




Neutralizing static electricity from parts feeder

Prevents clogging.



Neutralizing static electricity on an electric substrate

Prevents failures due to ESD and adhesion of dust.



Compact fan type with simple functions **IZF10/10R Series** Page 21

- Compact design (Depth x Width x Height): 39 mm x 80 mm x 110 mm
- Weight: 280 g (IZF10), 260 g (IZF10R)
- 2 types of fans available (IZF10)
 - ◎Rapid static neutralising fan: Discharge time (Static neutralisation time)*
1.5 s (When neutralising static electricity from 1000 V to 100 V at a distance of 300 mm from the workpiece (front surface))
 - ◎Low-noise fan: 48 dB(A) (Measured at a distance of 300 mm from the workpiece),
Rapid static neutralising fan: 57 dB(A)
- Offset voltage (Ion balance)*: ± 13 V
- With alarms for
Incorrect high voltage, Maintenance warning
- With flow rate adjustment function (IZF10R)

* Based on EN 61340-5-1: 2007 standards



CONTENTS


IZF21/31 Series IZF10/IZF10R Series



● Fan Type Ionizer IZF21/31 Series

Technical Data/Static Neutralisation Performance

| | |
|--|---------|
| ① Installation Distance and Discharge Time | Page 9 |
| ② Static Neutralisation Range | Page 10 |
| How to Order | Page 11 |
| Accessories | Page 12 |
| Accessories Sold Separately | Page 12 |
| Specifications | Page 13 |
| Functions and Indications | Page 13 |
| Alarm | Page 13 |
| Wiring | Page 14 |
| Wiring Circuit | Page 14 |
| Operation Chart | Page 15 |
| Dimensions | Page 16 |



● Fan Type Ionizer IZF10/IZF10R Series

Technical Data/Static Neutralisation Performance

| | |
|--|---------|
| ① Installation Distance and Discharge Time | Page 20 |
| ② Static Neutralisation Range | Page 20 |
| How to Order | Page 21 |
| Accessories | Page 22 |
| Accessories Sold Separately | Page 22 |
| Specifications | Page 23 |
| Functions and Indications | Page 23 |
| Alarm | Page 23 |
| Wiring | Page 24 |
| Wiring Circuit | Page 24 |
| Operation Chart | Page 26 |
| Dimensions | Page 27 |

| | |
|--------------------------------------|---------|
| ● Specific Product Precautions | Page 29 |
|--------------------------------------|---------|

IZF21/31 Series

Technical Data




Static Neutralisation Performance


*: Static neutralisation performance is based on data using a charged plate (size: 150 mm x 150 mm, capacitance: 20 pF) as defined in the EN 61340-5-1: 2007 Standards. Use only as a guideline purpose only for model selection because the value varies depending on the material and/or size of subjects.

① Installation Distance and Discharge Time (Discharge time from 1000 V to 100 V)


IZF21




IZF31




IZF21-S (With automatic cleaning unit)




IZF31-S (With automatic cleaning unit)



IZF21-U (With filter)



IZF31-U (With filter)




*: Static neutralisation performance is based on data using a charged plate (size: 150 mm x 150 mm, capacitance: 20 pF) as defined in the EN 61340-5-1: 2007 Standards. Use only as a guideline purpose only for model selection because the value varies depending on the material and/or size of subjects.


Static Neutralisation Performance

② Static Neutralisation Range


IZF21 (Air flow level: 10)




IZF31 (Air flow level: 10)




IZF21 (Air flow level: 1)




IZF31 (Air flow level: 1)




IZF21-W (With adjustable louver: Angle setting 1,)
(Air flow level: 10)




IZF31-W (With adjustable louver: Angle setting 1,)
(Air flow level: 10)



IZF21-W (With adjustable louver: Angle setting 5,)
(Air flow level: 10)



IZF31-W (With adjustable louver: Angle setting 5,)
(Air flow level: 10)



Fan Type Ionizer

IZF21/31 Series



RoHS

How to Order



IZF **21** - **P** - **B**

Model

| Symbol | Max. air flow |
|-----------|---------------|
| 21 | 1800 l/min |
| 31 | 4400 l/min |

Input/Output specifications

| | |
|----------|------------------|
| — | NPN input/output |
| P | PNP input/output |

Power supply cable, AC adapter

| | |
|----------|------------------------------------|
| — | With power supply cable (3 m) |
| Z | With power supply cable (10 m) |
| R | With AC adapter (without AC cable) |
| N | None |

Air suction side filter

| | |
|----------|---------------|
| — | None |
| U | With filter*1 |

*1: Filter + Filter holder

Automatic cleaning unit, Louver (Refer to page 12 for detail.)

| | |
|----------|--|
| — | None |
| S | With automatic cleaning unit |
| W | With adjustable louver |
| Y | With automatic cleaning unit + adjustable louver |

Bracket

| | |
|----------|--------------|
| — | None |
| B | With bracket |

Accessories (for Individual Parts)

Emitter cartridge

IZF 21 - NT

• Model

| | |
|----|-----------|
| 21 | For IZF21 |
| 31 | For IZF31 |




Power supply cable

IZS41 - CP

• Power supply cable

| | |
|---|---------------------------|
| — | Power supply cable (3 m) |
| Z | Power supply cable (10 m) |



IZS41 - CP 02 - X13

• Power supply cable length

| | |
|-----|--------------------|
| 01 | Total length: 1 m |
| 02 | Total length: 2 m |
| ... | ... |
| 19 | Total length: 19 m |
| 20 | Total length: 20 m |


*: Available in 1 m increments from 1 m to 20 m.
Use standard power supply cables for 3 m and 10 m lengths.

AC adapter

IZF21 - C G2EU

• AC adapter

| | |
|------|-------------------------------|
| G2EU | AC adapter (with AC cable) |
| G2 | AC adapter (without AC cable) |



Adjustable louver

IZF 21 - HW

• Model

| | |
|----|-----------|
| 21 | For IZF21 |
| 31 | For IZF31 |



Bracket

IZF 21 - B1

• Model

| | |
|----|-----------|
| 21 | For IZF21 |
| 31 | For IZF31 |

*: 4 retaining bolts are included.




Automatic cleaning unit

IZF 21 - HS

• Model

| | |
|----|-----------|
| 21 | For IZF21 |
| 31 | For IZF31 |




Cleaning arm (for automatic cleaning unit)

IZF 21 - M3

• Model

| | |
|----|-----------|
| 21 | For IZF21 |
| 31 | For IZF31 |



Cleaning arm
*: Removable.

Air suction side filter


IZF 21 - F L

• Model

| | |
|----|-----------|
| 21 | For IZF21 |
| 31 | For IZF31 |

• Air suction side filter

| | |
|---|------------------------|
| L | Filter |
| U | Filter + Filter holder |




Accessories Sold Separately

Cleaning kit

IZS30 - M2

(With 1 felt pad, 1 rubber grindstone, and 2 replacement felt pads)



IZS30 - A0201

(10 replacement felt pads)



IZS30 - A0202

(1 replacement rubber grindstone)



Adjustment screwdriver

IZS30 - M1



IZF21/31 Series

Specifications

| Model | | IZF21-□ | IZF21-P | IZF31-□ | IZF31-P |
|--------------------------------|-----------------------|---|---|---|---|
| | | NPN | PNP | NPN | PNP |
| Maximum air flow | | 1800 l/min | | 4400 l/min | |
| Applied voltage | | ±5 kV | | | |
| Ion generation method | | Corona discharge type | | | |
| Method of applying voltage | | DC type | | | |
| Offset voltage (Ion balance)*1 | | ±5 V | | | |
| Power supply voltage | | 24 V DC ±10 % | | | |
| Current consumption | | 0.9 A or less | | 1.3 A or less | |
| Input signal | Ionizer stop signal | Connect with 0 V Voltage range: 5 V DC or less | Connect with +24 V Voltage range: 19 V DC to power supply voltage | Connect with 0 V Voltage range: 5 V DC or less | Connect with +24 V Voltage range: 19 V DC to power supply voltage |
| | Cleaning input signal | Current consumption: 5 mA or less | Current consumption: 5 mA or less | Current consumption: 5 mA or less | Current consumption: 5 mA or less |
| Output signal | Maintenance signal | Maximum load current: 100 mA Residual voltage: 1 V or less (Load current: 100 mA) | Maximum load current: 100 mA Residual voltage: 1 V or less (Load current: 100 mA) | Maximum load current: 100 mA Residual voltage: 1 V or less (Load current: 100 mA) | Maximum load current: 100 mA Residual voltage: 1 V or less (Load current: 100 mA) |
| | Error signal | Maximum applied voltage: 26.4 V DC | | Maximum applied voltage: 26.4 V DC | |
| Ambient temperature | | Operating: 0 to 50 °C Stored: -10 to 60 °C | | | |
| Ambient humidity | | Operating, Stored: 35 to 80 %RH (No condensation) | | | |
| Material | | Case: ABS/PBT/Stainless steel Emitter: Tungsten | | | |
| Impact resistance | | 100 m/s ² | | | |
| Applicable standard/directive | | CE (EMC directive: 2014/30/EU) | | | |

*1: Based on EN 61340-5-1: 2007 standards

AC Adapter Specifications


| | |
|-------------------------------|--|
| Input voltage | 100 to 240 V AC, 50/60 Hz |
| Output voltage | 24 V DC |
| Output current | 1.9 A max |
| Ambient temperature | 0 to 40 °C, Stored: -20 to 65 °C |
| Ambient humidity | Operating, Stored: 5 to 95 %RH (No condensation) |
| Weight | 375 g (including AC cable, connector) |
| Applicable standard/directive | CE/cUL |

Weights

| | IZF21 | IZF31 |
|-------------------------|-------|-------|
| Body | 430 g | 605 g |
| Bracket | 146 g | 220 g |
| Automatic cleaning unit | 96 g | 127 g |
| Louver | 33 g | 58 g |
| Filter | 15 g | 26 g |

Functions and Indications

| No. | Name | Panel display | Type | Description |
|-----|--|---------------|-----------------|---|
| 1 | Power supply switch | POWER | Switch | Switch to turn this product ON and OFF. |
| 2 | Power supply indicator | PWR | LED (Green/Red) | Green lights up when the power supply is ON. Green flashes if the power supply is abnormal. Red flashes if the CPU is abnormal. |
| 3 | Static neutralisation operation/Incorrect high voltage indicator | ION/HV | LED (Green/Red) | Green lights up when static neutralisation is operated. Red lights up if incorrect high voltage is detected. Red flashes if the CPU is abnormal. |
| 4 | Error indicator | ALM | LED (Red) | Red lights up if fan motor failure or automatic cleaning failure is detected. Red flashes if the CPU is abnormal. |
| 5 | Maintenance indicator | NDL | LED (Green/Red) | Green lights up when emitters require cleaning. Green flashes when automatic cleaning is performed. Red flashes if emitter cartridge mounting failure, automatic cleaning failure or CPU failure is detected. |
| 6 | Balance adjustment | ADJUST | Trimmer | Adjusts offset voltage (ion balance). |
| 7 | Air flow adjustment | BLOW SPEED | Rotary switch | Adjusts air flow with fan. |




Alarm


| Alarm name | Output signal | LED ON | LED (Flashes at 1 Hz) | Operation after alarm generated | Description | Action to reset alarm |
|------------------------------------|--|--------------|---|---------------------------------|---|--|
| Power supply failure | Error signal OFF (B contact) | — | PWR (Green) | Stop | Connected power supply voltage is outside of specification. | Reset automatically. |
| Incorrect high voltage | Error signal OFF (B contact) | ION/HV (Red) | — | Stop | If an abnormal high voltage discharge occurs. | Input the ionizer stop signal or supply power again. |
| Fan motor failure | Error signal OFF (B contact) | ALM (Red) | — | Stop | Incorrect ionizer operation due to foreign matter in fan motor | Input the ionizer stop signal or supply power again. |
| CPU failure | Error signal OFF (B contact) | — | PWR (Red) ION/HV (Red) ALM (Red) NDL (Red) | Stop | CPU error due to noise etc. | Supply power again. |
| Excess current on output circuit | Error signal OFF (B contact) Maintenance signal OFF (A contact) | — | — | Continue | If excess current is present on the output circuit and protection circuit is activated. | Reset automatically. |
| Maintenance warning | Maintenance signal ON (A contact) | NDL (Green) | — | Continue | When static electricity neutralisation performance is reduced due to contamination or wear of the emitters. | Input the ionizer stop signal or supply power again. |
| Emitter cartridge mounting failure | Error signal OFF (B contact) | NDL (Red) | — | Stop | Emitter cartridge is not mounted. | Supply power again. |
| Automatic cleaning failure | Error signal OFF (B contact) | ALM (Red) | NDL (Red) | Stop | Error during automatic cleaning operation | Supply power again. |

Wiring

| Pin no. | Cable colour | Signal name | Signal direction | Description |
|---------|-----------------|---------------------|------------------|--|
| A1 | Brown | +24 V DC | IN | Power supply connection to operate this product. |
| B1 | | | | |
| A2 | Blue | 0 V | IN | |
| B2 | | | | |
| A3 | Green | F.G. | — | Ground terminal with 100 Ω or less to use it as a reference electric potential of offset voltage. |
| B3 | Yellowish green | Ionizer stop signal | IN | Signal input to turn ON/OFF the ventilation with fan and ion generation. NPN type: To stop fan and ion generation, connect to 0 V. (It operates when disconnected) PNP type: To stop fan and ion generation, connect to +24 V DC. (It operates when disconnected) |
| A4 | Grey | Cleaning signal | IN | When an automatic cleaning unit is fitted, cleaning of the emitters will start. |
| B4 | Yellow | Maintenance signal | OUT (A contact) | Turns ON when cleaning due to emitter contamination and/or replacement due to wear is required or when automatic cleaning is being performed (when an automatic cleaning unit is fitted). Turns off during output circuit over current error. |
| A5 | Purple | Error signal | OUT (B contact) | Turns OFF if power supply failure, incorrect high voltage, fan motor failure, CPU failure, excess current on the output circuit, emitter cartridge mounting failure, or automatic cleaning failure (for product with automatic cleaning function) is detected. (ON when there is no problem) |
| B5 | White | — | — | — |




Wiring Circuit




IZF21/31 Series

Operation Chart

Operation Chart 1



Operation Chart 2



*1: Incorrect high voltage, fan motor failure, and maintenance warning can also be released by the ionizer stop signal after resolving the error.

*2: Fan rotation stops gradually because of its rotational inertia.


*3: Ensure the power supply is turned off before clearing errors or cleaning emitters. If an alarm continues to be generated even after cleaning, the emitters may be worn out or damaged. If wear or damage to the emitters is detected, replace the emitter cartridge with a new one.

*4: When excess current flows to the error signal or maintenance signal, the signal will be turned OFF to protect the output circuit.

*5: The cleaning time is approximately 2 seconds.


Dimensions

IZF21-P-□□□□



Bracket

IZF21-P-□B□□



Technical Data


IZF21/31

IZF10/IZF10R

IZF21/31 Series


Dimensions

IZF31-P-□□□□



Bracket


IZF31-P-□B□□




Dimensions

With automatic cleaning unit

IZF21-P-□□S□




IZF31-P-□□S□




With adjustable louver

IZF21-P-□□W□




IZF31-P-□□W□




With filter

IZF21-P-□□□□U



IZF31-P-□□□□U



Technical Data

IZF21/31


IZF10/IZF10R

IZF21/31 Series

Dimensions

Power supply cable IZS41-CP


| Part no. | L |
|-----------|-----------------------------------|
| IZS41-CP | 3000 ⁺⁶⁰ ₀ |
| IZS41-CPZ | 9850 ⁺¹⁰⁰ ₀ |



Cable Specifications

| No. of cable wire/Size | 10 pcs./AWG20 (4 pcs.), AWG28 (6 pcs.) | |
|------------------------|--|---|
| Conductor | Nominal cross section | 0.54 mm ² (4 pcs.) 0.09 mm ² (6 pcs.) |
| | Outside diameter | 0.96 mm ² (4 pcs.) 0.38 mm ² (6 pcs.) |
| | Insulator | Outside diameter 1.4 mm Blue, Brown 0.7 mm White, Green, Light green, Purple, Grey, Yellow |
| Sheath | Material | Heat resistant PVC |
| | Outside diameter | 6.2 mm |

IZF21-CG2 (without AC cable)



*: The input (AC) side and output (DC) side of the AC adapter are not isolated.
If using the AC adapter as DC power supply for a different product, this may cause electric shock or malfunction.
Do not use the AC adapter for the DC power supply of a different product.

IZF10/IZF10R Series

Technical Data




※: Static neutralisation performance is based on data using a charged plate (size: 150 mm x 150 mm, capacitance: 20 pF) as defined in the EN 61340-5-1: 2007 Standards. Use only as a guideline purpose only for model selection because the value varies depending on the material and/or size of subjects.


Static Neutralisation Performance

① Installation Distance and Discharge Time (Discharge time from 1000 V to 100 V)

IZF10




IZF10R




② Static Neutralisation Range


IZF10




IZF10-L



IZF10R (Air flow level: 4)



IZF10R (Air flow level: 1)



IZF
10

IZF
10R

Fan Type Ionizer

IZF10/IZF10R Series



RoHS

How to Order

Without Flow Rate Adjustment Function

IZF10- P- B

Compact fan type

Air flow

| | |
|---|-----------|
| — | 660 l/min |
| L | 460 l/min |



With flow rate adjustment function

With Flow Rate Adjustment Function

IZF10R- P- B

Compact fan type

With flow rate adjustment function
(190 to 800 l/min)

Bracket

| | |
|---|--------------|
| — | None |
| B | With bracket |

Output

| | |
|---|------------|
| — | NPN output |
| P | PNP output |

Power supply cable, AC adapter

| | |
|-----|------------------------------------|
| — | With power supply cable (3 m) |
| Z | With power supply cable (10 m) |
| H*1 | e-con connector |
| R | With AC adapter (without AC cable) |
| N | None |

*1: A power supply connector for customers who prepare a cable. Not available for IZF10R type.

Accessories (for Individual Parts)

Power supply cable

IZF10 - C P IZF 10 IZF 10R

Power supply cable

| | |
|-----------|---------------------------|
| P | Power supply cable (3 m) |
| PZ | Power supply cable (10 m) |

Flow rate adjustment function

| | |
|----------|---------------------------------------|
| — | Without flow rate adjustment function |
| R | With flow rate adjustment function |



Without flow rate adjustment function



With flow rate adjustment function

AC adapter


IZF10 - C G2EU IZF 10 IZF 10R

AC adapter


| | |
|-------------|-------------------------------|
| G2EU | AC adapter (with AC cable) |
| G2 | AC adapter (without AC cable) |

Flow rate adjustment function

| | |
|----------|---------------------------------------|
| — | Without flow rate adjustment function |
| R | With flow rate adjustment function |



Without flow rate adjustment function



With flow rate adjustment function

e-con connector

IZF 10



*: Applicable wire size: AWG26 to 24,
Conductor cross sectional area:
0.14 to 0.2 mm², Finished outside
diameter: Ø 0.8 to Ø 1.0 mm.

Cartridge case

IZF 10 10 - A1 IZF 10 IZF 10R

Flow rate adjustment function

| | |
|------------|---------------------------------------|
| 10 | Without flow rate adjustment function |
| 10R | With flow rate adjustment function |



For with flow rate adjustment function

Bracket

IZF10 - B1 IZF 10 IZF 10R

*: 4 retaining bolts are included.




Accessories Sold Separately

IZF 10 IZF 10R

Cleaning kit

IZS30 - M2

(With 1 felt pad, 1 rubber grindstone,
and 2 replacement felt pads)



IZS30 - A0201

(10 replacement felt pads)



IZS30 - A0202

(1 replacement rubber grindstone)



Adjustment screwdriver

IZS30 - M1



IZF10/IZF10R Series

Specifications

| Model | IZF10-□□ | IZF10-L-□□ | IZF10R-□□ | IZF10-P-□□ | IZF10-LP-□□ | IZF10R-P-□□ |
|--|--|----------------|--|---|----------------|---|
| Maximum air flow | 660 l/min | 460 l/min | 800 l/min (Max.) | 660 l/min | 460 l/min | 800 l/min (Max.) |
| Ion generation method | Corona discharge type | | | | | |
| Method of applying voltage | DC type | | | | | |
| Applied voltage | ±5 kV | | | | | |
| Offset voltage (Ion balance) ^{*1} | Within ±13 V | | | | | |
| Power supply voltage | 24 V DC ±10 % | | | | | |
| Power consumption | 220 mA or less | 140 mA or less | 270 mA or less | 250 mA or less | 170 mA or less | 270 mA or less |
| Switch output | NPN open collector output Maximum load current: 80 mA Residual voltage: 1 V or less (Load current: 80 mA) Maximum load voltage: 26.4 V DC | | NPN open collector output Maximum load current: 150 mA Residual voltage: 1 V or less (Load current: 150 mA) Maximum load voltage: 26.4 V DC | PNP open collector output Maximum load current: 80 mA Residual voltage: 1 V or less (Load current: 80 mA) | | PNP open collector output Maximum load current: 150 mA Residual voltage: 1 V or less (Load current: 150 mA) |
| Ambient temperature | Operating: 0 to 50 °C, Stored: -10 to 60 °C | | | | | |
| Ambient humidity | Operating, Stored: 35 to 80 %RH (No condensation) | | | | | |
| Material | Case: ABS/Stainless steel, Emitter: Tungsten | | | | | |
| Weight | 280 g (With bracket: 360 g) | | 260 g (With bracket: 340 g) | 280 g (With bracket: 360 g) | | 260 g (With bracket: 340 g) |
| Applicable standard/directive | CE (EMC directive: 2004/108/EC) | | CE (EMC directive: 2014/30/EU) | CE (EMC directive: 2004/108/EC) | | CE (EMC directive: 2014/30/EU) |

*1: Based on EN 61340-5-1: 2007 standards


AC Adapter (IZF10/10R-CG1, IZF10/10R-CG2)

| | |
|-------------------------------|---|
| Input voltage | 100 to 240 V AC, 50/60 Hz |
| Output voltage | 24 V DC |
| Output current | 1 A max |
| Ambient temperature | 0 to 40 °C, Stored: -20 to 65 °C |
| Ambient humidity | Operating, Stored: 10 to 90 %RH (No condensation) |
| Applicable standard/directive | CE/cUL |

Functions and Indications

| No. | Name | Panel display | Type | Description |
|-----|------------------------|---------------|--------------------|--|
| 1 | Power supply switch | — | Switch | Switch to turn this product ON and OFF. |
| 2 | Power supply indicator | — | LED (Green/Orange) | The LED is ON green when power is supplied to this product, and is ON orange during an incorrect high voltage alarm or output signal over current alarm. |
| 3 | Error indicator | ALARM | LED (Red) | The LED turns ON when an incorrect voltage alarm is generated for 100 ms or more. |
| 4 | Maintenance indicator | NDL | LED (Green) | The LED is ON green when the emitter is contaminated or worn. |
| 5 | Air flow adjustment*1 | BLOW SPEED | Rotary switch | Adjusts air flow with fan. |
| 6 | Balance adjustment | — | Trimmer | Adjusts offset voltage (ion balance). |
| 7 | Connector | — | Connector | Connect the power supply cable or AC adapter. |

*1: Only for IZF10R




Alarm

| Alarm name | Output signal at the time of alarm*1 | LED | Operation after alarm generated | Description | Action to reset alarm |
|----------------------------------|--------------------------------------|--|---------------------------------|---|-----------------------|
| Incorrect high voltage | Error signal OFF (B contact) | Power supply (Orange) Error indicator (Red) | Stop | Incorrect function of the high voltage circuit for 100 ms or more. | Supply power again |
| Excess current on output circuit | Signal due to excess current OFF | Power supply (Orange) | Continue | Excess current is present on the output circuit. | Reset automatically. |
| Maintenance warning | Maintenance signal ON (A contact) | Maintenance (Green) | Continue | When static electricity neutralisation performance is reduced due to contamination or wear of the emitters. | Supply power again |

*1: NPN/PNP open collector output


Wiring/IZF10

| Pin no. | Signal name | Description |
|---------|--------------|--|
| 1 | +24 V DC | Power supply connection to operate this product. |
| 2 | 0 V | |
| 3 | F.G. | Ground terminal with 100 Ω or less to use it as a reference electric potential of offset voltage. |
| 4 | Error signal | The error signal turns OFF when a high voltage alarm or output signal over current is generated. (ON when there is no problem) |




Wiring Circuit/IZF10

NPN output IZF10




PNP output IZF10



IZF10/IZF10R Series


Wiring/IZF10R

| Pin no. | Cable colour | Signal name | Conductor size (AWG) | Signal direction | Description |
|---------|--------------|--------------------|----------------------|------------------|--|
| 1 | Brown | +24 V DC | 26 | IN | Power supply connection to operate this product. |
| 2 | Blue | 0 V | 26 | IN | |
| 3 | Green | F.G. | 26 | — | Ground terminal with 100 Ω or less to use it as a reference electric potential of offset voltage. |
| 4 | Yellow | Maintenance signal | 26 | OUT (A contact) | Turns ON when the emitter is contaminated or worn. |
| 5 | Purple | Error signal | 26 | OUT (B contact) | The error signal turns OFF when a high voltage alarm or output signal over current is generated. (ON when there is no problem) |




Wiring Circuit/IZF10R

NPN output



PNP output



Operation Chart

IZF10 Timing chart

| | | Display | Status | Operation | | | Power supply failure | | | Incorrect high voltage | | | Maintenance warning | | |
|----------------|--|---------|--------|-----------|-----|----|----------------------|--|--|------------------------|--|--|---------------------|--|--|
| | | | | Power ON | OFF | ON | Error OFF ON | | | Error OFF ON | | | Warning OFF ON | | |
| Input | Power supply switch | — | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| Output | Error signal (ON when there is no problem) | — | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| LED indicators | Power supply (Green) | POWER | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| | Power supply (Orange) | ALARM | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| | Error indicator (Red) | NDL | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| Ion | | | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| Fan | | | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |

*1: Cleaning or replacing the emitters should never be performed with the power supply ON. If an alarm continues to be generated even after cleaning, the emitters may be worn out or damaged. If wear or damage to the emitters is detected, replace the emitter cartridge with a new one.

IZF10R Timing chart

| | | Display | Status | Operation | | | Power supply failure | | | Incorrect high voltage | | | Maintenance warning | | |
|----------------|--|---------|--------|-----------|-----|----|----------------------|--|--------|------------------------|---------|--|---------------------|--|--|
| | | | | Power ON | OFF | ON | OFF ON | | OFF ON | | OFF ON | | OFF ON | | |
| Input | Power supply switch | — | ON | | | | Error | | Error | | Warning | | *2 | | |
| | | | OFF | | | | | | | | | | | | |
| Output | Error signal (ON when there is no problem) | — | ON | | | | | | *3 | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| | Maintenance signal (ON when there is no problem) | — | ON | | | | | | *3 | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| LED indicators | Power supply (Green) | — | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| | Power supply (Orange) | ALARM | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| | Error indicator (Red) | NDL | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| | Maintenance (Green) | NDL | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| Ion | | | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |
| Fan*1 | | | ON | | | | | | | | | | | | |
| | | | OFF | | | | | | | | | | | | |

*1: Fan motor rotation does not stop immediately due to inertial force even when the power supply is OFF.

*2: Cleaning or replacing the emitters should never be performed with the power supply ON. If an alarm continues to be generated even after cleaning, the emitters may be worn out or damaged. If wear or damage to the emitters is detected, replace the emitter cartridge with a new one.


*3: When excessive current flows to the output signal, the signal will be turned OFF to protect the output circuit.

Precautions for use in a clean room

When using in a clean room environment, confirm the required cleanliness before use. Fine particles are generated due to wear of emitters and motor sliding during operation.

IZF10/IZF10R Series


Dimensions



Dimensions

Power supply cable

IZF10-CP□




| Part no. | L |
|-----------|-----------------------------------|
| IZF10-CP | 3000 ⁺⁶⁰ ₀ |
| IZF10-CPZ | 9850 ⁺¹⁰⁰ ₀ |

Wiring/IZF10

| Pin no. | Cable colour | Signal name | Conductor size (AWG) |
|---------|--------------|--------------|----------------------|
| 1 | Brown | + 24 V DC | 24 |
| 2 | Blue | 0 V | 24 |
| 3 | Green | F. G. | 24 |
| 4 | Purple | Error signal | 24 |

IZF10R-CP□



| Part no. | L |
|------------|-----------------------------------|
| IZF10R-CP | 3000 ⁺⁶⁰ ₀ |
| IZF10R-CPZ | 9850 ⁺¹⁰⁰ ₀ |


Wiring/IZF10R

| Pin no. | Cable colour | Signal name | Conductor size (AWG) |
|---------|--------------|--------------|----------------------|
| 1 | Brown | + 24 V DC | 26 |
| 2 | Blue | 0 V | 26 |
| 3 | Green | F. G. | 26 |
| 4 | Yellow | Maintenance | 26 |
| 5 | Purple | Error signal | 26 |


AC adapter

IZF10-CG2

Without AC cable



IZF10R-CG1



※: External output cannot be used when the AC adapter is being used.



IZF Series

Specific Product Precautions 1

Be sure to read this before handling the products. Refer to the back cover for Safety Instructions.

Selection

Warning

1. **This product is intended to be used with general factory automation (FA) equipment.**

If considering using the product for other applications (especially those stipulated on Safety Instructions), please consult SMC beforehand.

2. **Use this product within the specified voltage and temperature range.**

Using outside of the specified voltage can cause a malfunction, damage, electrical shock, or fire.

3. **This product is not explosion-protected.**

Never use this product in locations where the explosion of dust is likely to occur or flammable or explosive gases are used. This can cause a fire.

Caution

1. **Clean specification is not available with this product.**

When using in a clean room environment, confirm the required cleanliness before use. Fine particles are generated due to wear of emitters and motor sliding during operation.

Mounting

Warning

1. **Reserve enough space for maintenance and wiring.**

Install the product and cables taking into consideration the removal of the power supply connector and emitter maintenance. The cable bending should not be less than the minimum bending radius so that stress is not applied to the power supply connector. If the cable is bent in an acute angle or load is applied to the cable successively, it may cause a malfunction, broken wire or fire.

2. **Mount this product on a plane surface.**

Mounting on an uneven surface will apply excess force to the frame or case, which leads to damage or failure. Do not drop the product or subject it to a strong impact. This may cause an injury or accident.

3. **Avoid using in a place where noise (electromagnetic wave and surge) is generated.**

If the product is used in an environment where noise is generated, it may lead to deterioration or damage of the internal elements. Take measures to prevent noise at its source and avoid power and signal lines from coming into close contact.

4. **Use the correct tightening torque.**

If the screws are tightened in excess of the specified torque range, it may damage the mounting screws, mounting brackets, etc. If the tightening torque is insufficient, the mounting screws and brackets may become loose.

5. **Do not apply tape or stickers to the product body.**

If a tape or seal contains any conductive adhesive or reflective paint, a dielectric phenomenon may occur due to the generated ions, resulting in electrostatic charge or electric leakage. Avoid using such tape and seals as it will not only cause difficulties in maintaining the performance of the product, but may also result in the failure of the product.

6. **Ensure the power supply is removed before installing and adjusting the product.**

Mounting

Caution

1. **Provide sufficient space on the air intake side of this product.**

This product ventilates with a fan motor. If there are obstacles such as a wall on the air suction side of the product, the ventilation will be obstructed, decreasing the performance. Install the ionizer so that the air suction side of the product is at least 20 mm (for IZF10, IZF10R, IZF21) or 30 mm (for IZF31) away from any obstacles.

2. **Make sure to confirm the effect of static neutralisation after installation.**

The effects vary depending on the ambient conditions, operating conditions, etc. After installation, verify the effects of static neutralisation.

3. **When installing ionizers which operate in DC mode (one polarity, positive or negative) close together, they should be positioned at least 2 m away from each other. (IZF21/IZF31)**

When an ionizer is used close to the ionizer which operates in DC mode, separate them by at least 2 m. The offset voltage (ion balance) may not be adjusted by the built-in sensor due to the ions discharged from the ionizer which operates in DC mode.

4. **Do not apply an excessive force to the finger guard.**

If an excessive external force is applied to the finger guard (including the filter holder) on the air suction side of the product, it may be broken. Do not apply an external force of 50 N or more to the finger guard.

Wiring

Warning

1. **Before wiring, ensure that the power supply capacity is larger than the specification and that the voltage is within the specification.**

2. **To maintain product performance, the power supply shall be UL listed Class 2 certified by National Electric Code (NEC) or evaluated as a limited power source provided by UL60950.**

3. **Ground the F.G. wire with 100 Ω or less according to the instructions in this catalogue. An incomplete ground or no grounding not only prevents the performance of the product from being maintained, but may also cause failure or damage of the product, or electric shock to the human body.**

4. **Wiring (including insertion and removal of the power supply connector) should never be carried out with the power supply ON.**

5. **Ensure the safety of wiring and surrounding conditions before supplying power.**

6. **Do not connect or disconnect the connectors (including power source) while the power is supplied. Failure to follow this procedure may cause product malfunction.**

7. **If the ionizer wiring and high power lines are routed together, this product may malfunction due to noise. Therefore, use a separate wiring route for this product.**

8. **Confirm that the wiring is correct before operation. Incorrect wiring will lead to product damage or malfunction.**



Specific Product Precautions 2

Be sure to read this before handling the products. Refer to the back cover for Safety Instructions.

Operating Environment/ Storage Environment

Warning

- 1. Keep within the specified ambient temperature range.**
The specified ambient temperature range for ionizer is 0 to 50 °C, and for AC adapter is 0 to 40 °C. Avoid sudden temperature changes even within specified ambient temperature range, as it may cause condensation.
- 2. Do not use this product in an enclosed space.**
This product utilizes a corona discharge phenomenon. Do not use the product in an enclosed space as ozone and nitrogen oxides exist in such places, even though in marginal quantities.
- 3. Environments to avoid**
Never use or store under the following conditions. These may cause a failure, fire, etc.
 - a. Where the ambient temperature exceeds the operating temperature range.
 - b. Where the ambient humidity exceeds the operating humidity range.
 - c. Areas where abrupt temperature changes may cause condensation.
 - d. Areas where corrosive gas, flammable gas or other volatile flammable substances are stored.
 - e. Areas where the product may be exposed to conductive powder such as iron powder or dust, oil mist, salt, organic solvent, machining chips, particles or cutting oil (including water and any liquids), etc.
 - f. Paths of direct air flow, such as air conditioners.
 - g. Enclosed or poorly ventilated areas.
 - h. Locations that are exposed to direct sunlight or heat radiation.
 - i. Areas where strong electromagnetic noise is generated, such as strong electrical and magnetic fields or supply voltage spikes.
 - j. Areas where the product is exposed to static electricity discharge.
 - k. Locations where strong high frequency is generated.
 - l. Locations that are subject to potential lightning strikes.
 - m. In an area where the product may receive direct impact or vibration.
 - n. Areas where the product may be subjected to forces or weight that could cause physical deformation.
- 4. The product does not incorporate protection against lightning surges. (IZF10, IZF10R)**

Maintenance

Warning

- 1. Perform maintenance regularly and clean the emitters.**
It is recommended to perform maintenance every week or when the maintenance warning function turns ON.
Check regularly if the product is operating with undetected failures or not. The maintenance must be performed by an operator who has sufficient knowledge and experience. If the product is used for an extended period with dust present on the emitters, the product performance will be reduced.
If the emitter becomes worn and the product performance is not restored after cleaning, replace the cartridge case.
- 2. Cleaning or replacing the emitters should never be performed while the power is supplied to the product.**
The fan will rotate due to inertial force even when the power supply is OFF. Confirm that the fan does not move before performing cleaning or replacing the emitters.
Never perform cleaning or replacing the emitters when the fan motor is rotating. The fan rotation may cause injury.
Never touch the electrodes with the power supplied to this product. Electric shock may cause injury.
- 3. Do not disassemble or modify the product.**
Disassembling or modifying the product may cause accidents such as electric shock, failure or fire. The product will not be guaranteed if it is disassembled and/or modified.
- 4. Do not operate the product with wet hands.**
Never operate the product with wet hands. It may cause electric shock or other accidents.

Danger High Voltage




This product contains a high-voltage generation circuit. When performing maintenance inspection, be sure to confirm that the power supply to the ionizer is turned off. Never disassemble or modify the ionizer, as this may not only impair the product's functionality but could cause an electric shock or electric leakage.

Caution

- 1. Do not drop, hit or apply excessive shock (100 m/s² or more) to the product when handling it.**
Even if the body appears undamaged, the internal components may be damaged, leading to a malfunction.

Safety Instructions

These safety instructions are intended to prevent hazardous situations and/or equipment damage. These instructions indicate the level of potential hazard with the labels of “**Caution**,” “**Warning**” or “**Danger**.” They are all important notes for safety and must be followed in addition to International Standards (ISO/IEC)*1), and other safety regulations.

-  **Caution:** **Caution** indicates a hazard with a low level of risk which, if not avoided, could result in minor or moderate injury.
-  **Warning:** **Warning** indicates a hazard with a medium level of risk which, if not avoided, could result in death or serious injury.
-  **Danger:** **Danger** indicates a hazard with a high level of risk which, if not avoided, will result in death or serious injury.

- *1) ISO 4414: Pneumatic fluid power – General rules relating to systems.
ISO 4413: Hydraulic fluid power – General rules relating to systems.
IEC 60204-1: Safety of machinery – Electrical equipment of machines.
(Part 1: General requirements)
ISO 10218-1: Manipulating industrial robots - Safety.
etc.

Warning

- The compatibility of the product is the responsibility of the person who designs the equipment or decides its specifications.**
Since the product specified here is used under various operating conditions, its compatibility with specific equipment must be decided by the person who designs the equipment or decides its specifications based on necessary analysis and test results. The expected performance and safety assurance of the equipment will be the responsibility of the person who has determined its compatibility with the product. This person should also continuously review all specifications of the product referring to its latest catalogue information, with a view to giving due consideration to any possibility of equipment failure when configuring the equipment.
- Only personnel with appropriate training should operate machinery and equipment.**
The product specified here may become unsafe if handled incorrectly. The assembly, operation and maintenance of machines or equipment including our products must be performed by an operator who is appropriately trained and experienced.
- Do not service or attempt to remove product and machinery/equipment until safety is confirmed.**
 - The inspection and maintenance of machinery/equipment should only be performed after measures to prevent falling or runaway of the driven objects have been confirmed.
 - When the product is to be removed, confirm that the safety measures as mentioned above are implemented and the power from any appropriate source is cut, and read and understand the specific product precautions of all relevant products carefully.
 - Before machinery/equipment is restarted, take measures to prevent unexpected operation and malfunction.
- Contact SMC beforehand and take special consideration of safety measures if the product is to be used in any of the following conditions.**
 - Conditions and environments outside of the given specifications, or use outdoors or in a place exposed to direct sunlight.
 - Installation on equipment in conjunction with atomic energy, railways, air navigation, space, shipping, vehicles, military, medical treatment, combustion and recreation, or equipment in contact with food and beverages, emergency stop circuits, clutch and brake circuits in press applications, safety equipment or other applications unsuitable for the standard specifications described in the product catalogue.
 - An application which could have negative effects on people, property, or animals requiring special safety analysis.
 - Use in an interlock circuit, which requires the provision of double interlock for possible failure by using a mechanical protective function, and periodical checks to confirm proper operation.

Limited warranty and Disclaimer/ Compliance Requirements

The product used is subject to the following “Limited warranty and Disclaimer” and “Compliance Requirements”.
Read and accept them before using the product.

Limited warranty and Disclaimer

- The warranty period of the product is 1 year in service or 1.5 years after the product is delivered, whichever is first.*2)
Also, the product may have specified durability, running distance or replacement parts. Please consult your nearest sales branch.
- For any failure or damage reported within the warranty period which is clearly our responsibility, a replacement product or necessary parts will be provided. This limited warranty applies only to our product independently, and not to any other damage incurred due to the failure of the product.
- Prior to using SMC products, please read and understand the warranty terms and disclaimers noted in the specified catalogue for the particular products.

*2) **Vacuum pads are excluded from this 1 year warranty.**

A vacuum pad is a consumable part, so it is warranted for a year after it is delivered. Also, even within the warranty period, the wear of a product due to the use of the vacuum pad or failure due to the deterioration of rubber material are not covered by the limited warranty.

Compliance Requirements

- The use of SMC products with production equipment for the manufacture of weapons of mass destruction (WMD) or any other weapon is strictly prohibited.
- The exports of SMC products or technology from one country to another are governed by the relevant security laws and regulations of the countries involved in the transaction. Prior to the shipment of a SMC product to another country, assure that all local rules governing that export are known and followed.

Caution

- The product is provided for use in manufacturing industries.**
The product herein described is basically provided for peaceful use in manufacturing industries.
If considering using the product in other industries, consult SMC beforehand and exchange specifications or a contract if necessary.
If anything is unclear, contact your nearest sales branch.

Caution

SMC products are not intended for use as instruments for legal metrology.

Measurement instruments that SMC manufactures or sells have not been qualified by type approval tests relevant to the metrology (measurement) laws of each country. Therefore, SMC products cannot be used for business or certification ordained by the metrology (measurement) laws of each country.

Safety Instructions

Be sure to read “Handling Precautions for SMC Products” (M-E03-3) before using.

SMC Corporation (Europe)

| | | | | | | | |
|-----------------------|---------------------|--------------------|------------------------|--------------------|-----------------------|------------------------|---------------------------|
| Austria | ☎ +43 (0)2262622800 | www.smc.at | office@smc.at | Lithuania | ☎ +370 5 2308118 | www.smclt.lt | info@smclt.lt |
| Belgium | ☎ +32 (0)33551464 | www.smcpnautics.be | info@smcpnautics.be | Netherlands | ☎ +31 (0)205318888 | www.smcpnautics.nl | info@smcpnautics.nl |
| Bulgaria | ☎ +359 (0)2807670 | www.smc.bg | office@smc.bg | Norway | ☎ +47 67129020 | www.smc-norge.no | post@smc-norge.no |
| Croatia | ☎ +385 (0)13707288 | www.smc.hr | office@smc.hr | Poland | ☎ +48 222119600 | www.smc.pl | office@smc.pl |
| Czech Republic | ☎ +420 541424611 | www.smc.cz | office@smc.cz | Portugal | ☎ +351 226166570 | www.smc.eu | postpt@smc.smces.es |
| Denmark | ☎ +45 70252900 | www.smc.dk.com | smc@smcdk.com | Romania | ☎ +40 213205111 | www.smcromania.ro | smcromania@smcromania.ro |
| Estonia | ☎ +372 6510370 | www.smcpnautics.ee | smc@smcpneumatics.ee | Russia | ☎ +7 8127185445 | www.smc-pneumatik.ru | info@smc-pneumatik.ru |
| Finland | ☎ +358 207513513 | www.smc.fi | smc@smc.fi | Slovakia | ☎ +421 (0)413213212 | www.smc.sk | office@smc.sk |
| France | ☎ +33 (0)164761000 | www.smc-france.fr | info@smc-france.fr | Slovenia | ☎ +386 (0)73885412 | www.smc.si | office@smc.si |
| Germany | ☎ +49 (0)61034020 | www.smc.de | info@smc.de | Spain | ☎ +34 902184100 | www.smc.eu | post@smc.smces.es |
| Greece | ☎ +30 210 2717265 | www.smchellas.gr | sales@smchellas.gr | Sweden | ☎ +46 (0)86031200 | www.smc.nu | post@smc.nu |
| Hungary | ☎ +36 23511390 | www.smc.hu | office@smc.hu | Switzerland | ☎ +41 (0)523963131 | www.smc.ch | info@smc.ch |
| Ireland | ☎ +353 (0)14039000 | www.smcpnautics.ie | sales@smcpneumatics.ie | Turkey | ☎ +90 212 489 0 440 | www.smcpnomatik.com.tr | info@smcpnomatik.com.tr |
| Italy | ☎ +39 0292711 | www.smcitalia.it | mailbox@smcitalia.it | UK | ☎ +44 (0)845 121 5122 | www.smcpnautics.co.uk | sales@smcpneumatics.co.uk |
| Latvia | ☎ +371 67817700 | www.smc.lv | info@smc.lv | | | | |

SMC CORPORATION Akihbara UDX 15F, 4-14-1, Sotokanda, Chiyoda-ku, Tokyo 101-0021, JAPAN Phone: 03-5207-8249 FAX: 03-5298-5362

1st printing UZ printing UZ 00 Printed in Spain

Specifications are subject to change without prior notice and any obligation on the part of the manufacturer.