

POWER TRANSMISSION AGRICULTURAL TECHNOLOGY



SPECIALISTS FOR AGRICULTURE

"For reliable use when harvesting."

Norbert, 42, farmer

OPTIBELT SUCCESS STORY FARMER SEARCHES FOR BELT – PARTNERSHIP WITH A FUTURE



With a history going back 130 years, Kverneland has not only set milestones in the production of agricultural machinery, but has also relied on quality belts by Optibelt. After an extensive test phase, a decision was made to use a maintenance-free high performance wedge belt by Optibelt. Since 2013, the Kverneland mulcher FRH is now driven by a quality product made by Optibelt. By changing over to optibelt RED

POWER 3, engineers have achieved perfect transmission at maximum power.

OPTIBELT SUCCESS STORY PERFECT TRANSMISSION -MAXIMUM POWER



USED WORLDWIDE

As a partner and OEM of leading manufacturers in the field of agricultural technology, Optibelt offers drive solutions that drive agriculture itself. Our drive components are not only extremely smooth running with efficient power transmission, but are also environmentally friendly. The optibelt AGRO POWER product series will not let you down when it really counts.

During the last recent decades, leading agricultural machinery manufacturers such as Claas have made quantum leaps on the technical front and reached incredible levels. With each new model, more performance and even more efficient technology is in demand. This task is quite a challenge for mechanical designers and therefore represents a prime discipline for Optibelt. For example, in Claas combine harvesters, the threshing system and the unloading of grain tank are furnished with the performance level they require by using Optibelt high performance belts.

© OPTIBELT GMBH, GERMANY

WHAT DRIVES US

In the field of agricultural technology, specialists are required.

Today's agriculture is characterised by rapid development and a continuous innovation flow. Larger, faster, further - and that at a maximum level of efficiency. The technology of sophisticated machines is becoming ever more demanding and therefore, engineers, scientists and researchers are always going beyond the limits of what is possible. It is first possible through perseverant drive components requiring a minimum level of maintenance, a great level of durability, and optimal power transmission.



1. COMBINE HARVESTER

The combine harvesters of today are more than simple grain harvesters. In addition to productivity, in particular, diversity and reliability play a crucial role.






3. MOWER

Today, in addition to fuel consumption, maintenance effort and ground following systems, perfect power transmission in particular is really what counts.



5. CARROT HARVESTER

Harvesters must not only be productive, but also have to be gentle to the crops harvested. In this connection, the right belt plays a crucial role.











2. FIELD CHOPPER

The multi-talent among harvesters. Whether maize, grass or lucerne, the requirements placed on field choppers are continually growing.





પ્રેલેક કોઈલે કોઈલેક કોઈલેક કોઈલે કોઈલે કોઈલે કોઈલે કોઈલે

4. MULCHER

No matter if dealing with work performed on fallow lands or landscape management. The perfect mulching mower provides a clean cut, requires a low level of pulling power, and is gentle to the ground.



7. FORAGE WAGON

The pickup among harvesters. It provides an optimal means of collecting the harvested crops.







6. TRACTORS

The draught horse and, at the same time, the driving power in agriculture. Here, only 100-percent reliability counts.



optibelt VB

special pulleys on request

optibelt SK

V-GROOVED AND

KRAFTBAND PULLEYS

all standard pulleys,

special pulleys on request

CLASSIC V-BELTS AND KRAFTBANDS

| | | DIMENSIONS | | |
|---|--------------|------------|------|----------------|
| | and a second | | | 437-5030 mm |
| | | | B/17 | 610-7140 mm |
| | | | C/22 | 1148-8058 mm |
| V-GROOVED AND KRAFTBAND PULLEYS all standard pulleys, | | | D/32 | 2075–11 275 mm |
| | | | E/40 | 3080-12580 mm |
| | | | | |

HIGH PERFORMANCE WEDGE BELTS AND KRAFTBANDS

Other profiles + dimensions on request

ADVANTAGES AND CHARACTERISTICS

- optimal running characteristics • abrasion resistant cover fabric
- special drives are feasible, such as V-flat drives
- variety of special constructions • up to 97% efficiency

148-8058 mm 2075–11 275 mm

DIMENSIONS

SPZ 487-3550 mm

SPA 732-4500 mm

SPB 1250-8000 mm

3V/9N 25-140 inches

Other profiles + dimensions on request

SPC 2000-12500 mm

- V-belts also in reliable S=C Plus quality

ADVANTAGES AND CHARACTERISTICS

• wrapped wedge belts with

• up to 97% efficiency

quality

abrasion resistant cover fabric

• variety of special constructions

• high level of power transmission

• V-belts also in reliable S=C Plus

ADVANTAGES AND CHARACTERISTICS

• low-maintenance operation

optibelt AGRO POWER VB/SK/KB

V-BELTS AND KRAFTBANDS



KRAFTBAND PULLEYS

special pulleys on request

all standard pulleys,

In order to make a comparison, all common part numbers can be found in our current reference catalogue, AGRO POWER.

optibelt AGRO POWER BKR **VARIABLE SPEED BELTS**


DIMENSIONS

In order to make a comparison, all common part numbers can be found in our current reference catalogue, AGRO POWER.

V-GROOVED PULLEYS all standard pulleys, special pulleys on request

optibelt AGRO POWER RB





In order to make a comparison, all

RIBBED BELT PULLEYS standard range special pulleys on request AGRO POWER.

common part numbers can be found in our current reference catalogue,



optibelt VB PKR

COMBINE HARVESTER BELTS



Profiles + dimensions on request



- highly durable
- high level of flexibility
- optimised heat emission

Other profiles + dimensions on request

DIMENSIONS X 10-X 22; AVX 10-AVX 13 The AVX 10 and AVX 13 profiles in

their cross sections and dimensions are compliant with DIN 7753 part 3 and the standards ISO 2790 and SAE.


Other profiles + dimensions on request

optibelt VARIO POWER/VS

VARIABLE SPEED BELTS



V-GROOVED PULLEYS all standard pulleys, special pulleys on request



ADVANTAGES AND CHARACTERISTICS

- high level of power transmission
- very smooth running, also in the case of high belt speeds



• very smooth running • outstanding tension behaviour

optibelt MARATHON X **V-BELTS**

MALAMAN



highly durable

high efficiency

special pulleys on request





DIMENSIONS

ADVANTAGES AND CHARACTERISTICS

- excellent level of operational safety
- optimal running characteristics
- balanced power transmission
- extensive assortment
- environmentally friendly

ADVANTAGES AND CHARACTERISTICS

- high level of power transmission
- highly durable
- very smooth running
- high level of flexibility
- environmentally friendly
- extensive assortment

DIMENSIONS

ADVANTAGES AND CHARACTERISTICS

- good traction and high capacity
- low levels of noise and vibrations
- high belt speed possible
- highly flexible for serpentine belt drives for example
- environmentally friendly

DIMENSIONS

ADVANTAGES AND CHARACTERISTICS

- ensures an excellent grip
- resistant against external influential factors such as sand or stones
- reinforced fabric providing excellent power transmission and a maximum protection against wear
- reduced maintenance costs





THE OPTIBELT TEAM FOR DEVELOPMENT, APPLICATIONS AND SERVICE



SOFTWARE TOOLS AND SPECIALIST CONSULTING

Optibelt's free CAP software allows users to calculate their specific drives quickly and easily. For more complex drive systems, CAP Professional gives users the ability to perform detailed variable calculations. CAP's efficiency calculator will also compare available drives with those already optimised.

Optibelt application engineers are always available to provide advice to customers' operations around the world. They can assist in optimising the drives for entire plant operations.



SERVICE SUPPORT

To make sure that all machines run reliably, Optibelt also offers personal support in drive assembly, maintenance and service on site around the world. Optibelt's broad range of measuring devices and service tools allow easy drive optimisation, maintenance and repair.



OPTIBELT CUSTOM PRODUCTS

Optibelt offers custom high performance products for all applications: Customised products are designed to precisely meet customers' drive application requirements. Optibelt engineers develop tailored drive solutions for superior efficiency and safety.

Optibelt GmbH

Corveyer Allee 15 37671 Höxter GERMANY T +49 5271 621 F +49 5271 976200 E info@optibelt.com

