

voordeel

- Multifunctioneel volstaat voor de meeste taken
- · Ideaal voor glas schoon te maken
- Geschikt voor handendroging
- Goedgekeurd voor gebruik met voedingsmiddelen









producteigenschappen

artikel	systeem	Rollengte	Rolbreedte	Roldiameter	Binnenste diameter van kern	Lagen	Kleur
130109	W1 - Poetsdoeken muur/vloer/stand aard systeem	1180 m	34 cm	38 cm	7.1 cm	1	Wit



verzendgegevens

consumentenunit

EAN	7310791206998		
stuks	1		
hoogte	340 mm		
breedte	380 mm		
lengte	380 mm		
volume	49.1 dm3		
nettogewicht	10431 g		
brutogewicht	10570 g		

transportunit

EAN	7310791206998		
stuks	1		
consumentenunit s	1		
materiaal	Plastic		
hoogte	340 mm		
breedte	380 mm		
lengte	380 mm		
volume	49.1 dm3		
nettogewicht	10.4 kg		
brutogewicht	10.7 kg		

pallet

EAN	7322540161892		
stuks	30		
consumentenunit s	30		
hoogte	1850 mm		
breedte	800 mm		
lengte	1200 mm		
volume	1.5 m3		
nettogewicht	312.9 kg		
brutogewicht	319.8 kg		



milieu

Content

Virgin pulp, Recycled fibres, Chemicals

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are: Wet strength agent Dry strength agent If coloured = Dye Fixing agents If white Fluorescent whitening agent If needed Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Product safety

The product fulfils the legislative requirements for food safety =Isega. Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel. This product is approved for Swan label, licence 305 003.

Date of issue 2007-08-28

Revision date 2009-11-02



Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 1400.

Destruction

This product is mainly used for industrial procecces and hence it will be containinated with different substances. This will determine how the used product will be destructed. The product itself is suitable for incineration. Contact local authorities before destruction.

